

Obravnava bolnikov s Crohnovo boleznijo in fistulami

Management of patients with Crohn's disease and fistulas

Gregor Norčič*

Klinični oddelek za abdominalno kirurgijo, Kirurška klinika, UKC Ljubljana

Gastroenterolog 2021; suplement 2: 17

Ključne besede: *perianalne fistule, Crohnova bolezen, multidisciplinarni pristop*

Key words: *perianal fistula, Crohn's disease, multidisciplinary approach*

IZVLEČEK

Perianalne fistule predstavljajo hudo breme za bolnike s Crohnovo boleznijo. Obstajajo številne metode kirurškega zdravljenja fistul, ki se med seboj razlikujejo po pričakovani uspešnosti zdravljenja in nevarnosti povzročitve iatrogene analne inkontinence. Vstavitve setona se uporablja predvsem v akutni obravnavi oziroma v primeru novonastalih perianalnih fistul. Za definitivno oskrbo fistul je največ izkušenj s formacijo endorektalnega režnja in s tehniko LIFT, zelo obetavna se zdi metoda zdravljenja z aplikacijo matičnih celic. Rezultati zdravljenja so bistveno boljši z multidisciplinarnim pristopom in kombinacijo sistemske terapije ter lokalnega kirurškega zdravljenja.

ABSTRACT

Perianal fistulas pose a huge burden to patients with Crohn's disease. Surgical techniques described for the treatment of this condition differ regarding their expected efficacy and incidence of iatrogenic fecal incontinence. Seton drains are mainly used in the acute setting. Endorectal advancement flaps and LIFT are frequently used for definitive fistula closure. Very promising results are also shown with mesenchymal stem cell treatment. Treatment results are significantly better with multidisciplinary approach when appropriate systemic medical treatment and local surgery are combined.

*doc. dr. Gregor Norčič, dr. med

Klinični oddelek za abdominalno kirurgijo, Kirurška klinika, UKC Ljubljana, Zaloška cesta 7, 1000 Ljubljana

E-pošta: gregor.norcic@kclj.si